

e-TENDER DOCUMENT
FOR
SUPPLY, INSTALLATION, COMMISSIONING AND 5 YEARS
COMPREHENSIVE WARRANTY WITH MAINTENANCE OF
Solar LED High Mast Lighting System
IN
VARIOUS DISTRICTS OF UTTAR PRADESH
e-tender NO: UPNEDA/SHM (W-LED)-01 /2018



Uttar Pradesh New and Renewable Energy Development Agency (UPNEDA)
(Deptt. of Additional Sources of Energy, Govt. of U.P.)
VibhutiKhand, Gomti Nagar, Lucknow, U. P.
Tel.No. 91-0522-2720652, TeleFax: 0522-2720779, 2720829
Website:<http://neda.up.nic.in> e-mail: compneda@rediffmail.com

TABLE OF CONTENTS

TOPIC	PAGE-NO.
PART-A	
e-tender Notice	3
Covering Letter	4
Checklist of Annexure	5-7
Particulars of e-tender	8
General Particulars of Bidder	9
Declaration by Bidder	10
PART-2 Instructions to Bidders	
Section –1 The e-tender document	11-12
Section -2 Eligibility condition	13
Other Eligibility condition	14-15
Section-3 Preparation of e-tender	16-17
Section-4 UPLOADING of e-tender	18
Section –5 e-tender opening and evaluation	19
Section -6: Procedure for Finalization of BID	20
PART-3 General conditions of contract	21-27
PART-4 Scope of work & Technical specification	28-35
PART-5 Warranty And Maintenance	36
PART-6 Technical Bid	37-39
PART-B Financial Bid	40

e-tender Notice

Uttar Pradesh New and Renewable Energy Development Agency, (UPNEDA)

(Deptt. of Additional Sources of Energy, Govt. of U.P.)

VibhutiKhand, Gomti Nagar, Lucknow U P

Tel.No. 91-0522-2720652, TeleFax: 0522-2720779, 2720829

Website:<http://neda.up.nic.in> E-Mail: compneda@rediffmail.com

UPNEDA invites Online Bids from Prospective Bidders through e-tendering for the supply, installation, commissioning and 5 years comprehensive warranty with maintenance of following item at various sites in Uttar Pradesh as per the details given in e -tender document.

Sl. no	Item	e-tender No.	Quantity Required	Fee of e-tender Document (In Rs.)	Earnest Money (In Rs.)
1	Solar PV White- LED High Mast Lighting System	e-tender NO: UPNEDA/SHM (W-LED)-01 /2018	Approximately 500 units	29500.00 (including GST)	607000.00

The tender document is available at e-Procurement website <http://etender.up.nic.in> from 28.03.2018. Interested bidders may view, download the e-Bid document and submit their e-Bid online up to the date and time mentioned in the table below:

(a)	Availability of tender document on website	29.03.2018 from 06.55 PM at e-Procurement web site http://etender.up.nic.in
(b)	e-Bid submission end date & Time	18.04.2018 upto 6.55 PM
(c)	Online technical e-Bid opening date & time	19.04.2018 at 11.30 AM
(d)	Online financial e-Bid opening date & time (Only of technically qualified bidders)	21.04.2018 at 3.00 PM
(e)	Venue of opening of technical & financial e-Bids	UPNEDA Head Office, VibhutiKhand, GomtiNagar, Lucknow-226010

The companies/firms who are registered at e-Procurement portal for e-tendering with U.P. Electronics Corporation Ltd. (UPLC), 10, Ashok Marg, Lucknow (UP) would only be eligible for participating in this e-tender. All companies/firms who have not registered themselves with UPLC for e-tendering till date can get their registration done. The companies/firms may contact U.P. Electronics Corporation Ltd. (UPLC), 10, Ashok Marg, Lucknow (UP) for their Registration.

The bidders need to submit the proof/cost of e-Bid document fees and EMD as stated in the above table through Demand Draft as bid documents fees and bank guarantee as EMD in favour of Director Uttar Pradesh New and Renewable Energy Development Agency (UPNEDA), payable at LUCKNOW. The scanned copy of the Demand Draft and Bank guarantee must be enclosed along with the e-Bids. The original Demand Draft and bank guarantee along with the hard copy of the blank document with enclosures duly signed by bidders must reach the office of UPNEDA at VibhutiKhand, Gomti Nagar Lucknow, 01 hour before opening date and time of technical e-Bid failing which the tender shall not be considered. Numbers of the system mentioned as above may increase or decrease. Director, Uttar Pradesh New and Renewable Energy Development Agency, (UPNEDA) reserves the right to reject any or all tenders without assigning any reason thereof. The decision of Director UPNEDA will be final and binding.

**Director,
UPNEDA**

2. Covering Letter:

FROM:-

(Full name and address of the Bidder)

.....
.....

To:

The Director ,
Uttar Pradesh New and Renewable Energy
Development Agency (UPNEDA)
VibhutiKhand, Gomti Nagar, Lucknow- U. P.

Subject: -Offer in response to e-tender specification No: UPNEDA/SHM (W-LED)-01 /2018

Sir,

We hereby submit our offer in full compliance with terms & conditions of the above e-tender. A blank copy of the e-tender, duly signed on each page is also submitted as a proof of our acceptance of all specifications as well as terms/ Conditions.

We confirm that, we have the capability to supply, install and carryout 5 years comprehensive warranty maintenance of **morethan** **Solar PV White- LED High Mast Lighting systems in 4 months and** **numbers in a year.** (Supporting document in proof of capacity should be attached)

The e-tender is to be uploaded in two separate files named **Part-I for technical bid & Part-II for Financial Bid** only.

(Signature of Bidder)
With Seal

3. Check list of Annexures

(The following information/documents are to be annexed and flagged by the Bidders along with the BID)

S.N.	Annexure No	Particulars	Yes/No, Flag No.
1.	Annexure-I (a)	Details of Tender document fees (Demand Draft no, date, amount and bank name)	
	Annexure-I (b)	Details of Earnest money (bank guarantee no. and date, (valid for four months))	
2.	Annexure-II (a)	The bidder is a Manufacturing Company/Firm/ Corporation Registered in India of SPV Cells / Modules/ Battery / PV System Electronics (conforming to relevant National / International Standards) (A copy of registration certificate from authorized organisation i.e. DIC / NSIC / Directorate of industries is to be enclosed) OR A PV System integrators working in the field of SPV Off-grid LED lighting systems, having experience at least 5000 nos. Solar PV LED Lighting Systems should have been installed / commissioned. (A copy of the order and certificate indicating its successful execution and performance to be enclosed)	
	Annexure-II (b)		
3.	Annexure-III	Following Test Certificates & Reports for components specified in technical bid (Test Certificate should have been issued on or after 01 April 2014)	
		i. SPV Modules	
	III(a)	a) IEC 61215 edition II/ IS 14286 for Crystalline Modules	
	III(b)	b) IEC 61730 Part 1 & 2	
	III(c)	c) STC Performance Report –I V curve from a MNRE/NABL accredited test lab.	
	III(d)	ii. Batteries –CECRI or MNRE authorized test centre report for relevant IS 16270 / 13369 / IEC 61427 standards (as applicable)	
	III(e)	iii. Balance of System from a MNRE/NABL accredited test lab.	
	III(f)	LM-80-08 for LED	
III(g)	LM-79-08 for 12 watt Luminaire		
		IP 65 Luminaries and charge controller housing	

4.	Annexure-IV	Bidder should have Test Certificate for the complete White- LED Solar PV High Mast Lighting System from a MNRE / NABL accredited test center (Test Certificate should have been issued on or after 01 April 2014)	
5.	Annexure-V	A copy of valid GSTIN registration certificate .	
6	Annexure-VI	Overall Average Annual Turnover of the Company/Firm/ Corporation in three financial years, A summarized sheet of turnover of three Financial Years i.e. 2014-15, 2015-16 and for 2016-17, (audited) certified by registered CA.	
7.	Annexure-VII	A summarized sheet of cumulative Financial experience of Years i.e. 2014-15, 2015-16 and 2016-17, in PV LED lighting systems/power plants certified by registered CA	
8.	Annexure-VIII	Bidder's cumulative experience* in last 10 years in Supply and installation/commissioning of total number of Solar PV Lighting Systems. Cumulative nos.: > 5,000 nos. > 10,000 nos.	
9.	Annexure-IX	Value of a " Single Order " of PV Systems / Power Plants executed by the Bidder (A copy of the order indicating its value and certificate indicating its successful execution) Valued more than Rs. 0.50 Crore Valued more than Rs. 1.00 Crore	
10.	Annexure-X	Bidder has Test Certificate for Solar Lanterns, Solar Home lighting System, Solar Street Lighting System, Solar Water Pumping System or SPV Modules, battery, Electronics, LED lighting unit etc from a MNRE authorized testing center. (Test Certificate should have been issued on or after 1 April 2014.) Number of certificates:.....	
11.	Annexure-XI	Cumulative Experience of the Bidder in executing contracts Solar Photovoltaic Systems/ Power Plants(Installed & Commissioned) >300KWp >500KWp	

12.	Annexure-XII	The bidder has ISO 9001 certification	
13.	Annexure-XIII	The bidder has ISO 14001 certification	
14.	Annexure-XIV	Authorization letter of the Bidder, for the person representing his firm, that he is authorized to discuss and with specific mention of this e-tender	
15.	Annexure-XV	Cumulative Experience of the Bidder in executing contracts (Installed & commissioned) of Stand Alone Solar P V Systems/ Power Plants: At least 50% of the tendered value At least 75% of the tendered value	
16	Annexure-XVI	The bidder is a SPV Modules Manufacturing Company, Registered in India , with a min. Capacity of -- 25 MWp per annum --- 50 MWp per annum	
17	Annexure-XVII	The bidder is a SPV cells Manufacturing Company, Registered in India, with a min. Capacity of --- 5 MWp per annum --- 10 MWp per annum	
18	Annexure-XVIII	Others XIX(i). An undertaking that the service centres will be opened in allotted district .	

* Please flag the annexure and write flag number in the box.

Note:

- Bids received without supporting documents for the various requirements mentioned in the tender document may be rejected.
- No extra paper should be submitted in e-tender as well as with hard copy.
- If any paper certificate/document is not clear in scanned uploaded the tender document may be rejected (scanning of paper are not less than 150 dpi in black & white).
- Hard copy of tender document should be page numbered and in proper bidding and all annexure and their flag along with tender fees and EMD should be in proper order and also uploaded in relevant files of e-tender.

(Signature of Bidder)
With Seal

4. Particulars of e-tender

1.	e-tender no.	UPNEDA/SHM (W-LED)-01 /2018
2.	Particulars of the work	Supply, installation, commissioning and 05 years warranty with comprehensive maintenance of Solar W-LED based high mast lighting systems at the identified sites by Uttar Pradesh New And Renewable Energy Development Agency (UPNEDA)
3.	Period of work	Within 4 months from the date of award of work.
4.	Last date and time of submission of e-tender on web portal	18.04.2018 up to 6.55 PM
5.	Period of validity of rates for acceptance	3 months from opening of financial bid
6.	Date and Time of opening of e-tender (Technical bid.)	19.04.2018 at 11.30 AM
7.	Date and Time of opening of e-tender (Financial bid.)	21.04.2018 at 3.00 PM
8.	Place of opening of e-tender	UPNEDA, Head Office, VibhutiKhand, Gomti Nagar, Lucknow, Uttar Pradesh.

1. Bidders are advised to study the tender Document carefully. Submission of e-Bid against this tender shall be deemed to have been done after careful study and examination of the procedures, terms and conditions of the tender Document with full understanding of its implications.
2. The e-Bid prepared in accordance with the procedures enumerated in ITB Clause 15 of Section-I should be submitted through e-Procurement website <http://etender.up.nic.in>.
3. The e-Bids will be electronically opened in the presence of bidder's representatives, who choose to attend at the venue, date and time mentioned in the above table. An authority letter of bidders's representative will be required to be produced.
4. In the event of date specified for e-Bids opening being declared a holiday for UPNEDA's office then the due date for opening of e-Bids shall be the following working day at the appointed time and place.
5. All the required documents including Price Schedule/BOQ should be uploaded by the e-Bidder electronically in the PDF/XLS format. The required electronic documents for each document label of Technical (Fee details, Qualification details, e-Bid Form and Technical Specification details) schedules/packets can be clubbed together to make single different files for each label. All the enclosures should be scanned and uploaded with bid.
6. The companies/firms who are registered at e-Procurement portal for e-tendering with U.P. Electronics Corporation Ltd. (UPLC), 10, Ashok Marg, Lucknow (UP) would only be eligible for participating in this e-tender. All companies/firms who have not registered themselves with UPLC for e-tendering till date can get their registration done. The companies/firms may contact the UPLC officials on phone numbers 0522-2286809, 0522-2288750 (O) 0522-4130303 (Extn: 303, 304 & 307), for their Registration/Digital Signature Certificate related queries.

(Signature of Bidder)
With Seal

5. GENERAL PARTICULARS OF BIDDER

1	Name of Bidder	
2	Postal Address	
3	Mobile no.	
4	Telephone, Telex, Fax No	
5	E-mail	
6	Web site	
7	Name, designation and Mobile Phone No. of the representative of the Bidder to whom all references shall be made	
9	Name and address of the Indian/foreign Collaboration if any	
10	Have anything/extra other than price of items (as mentioned in price Schedule) been written in the price schedule.	
11	Have the Bidder to pay arrears of income tax? If yes up to what amount?	
12	Have the Bidder ever been debarred By any Govt. Deptt. / Undertaking for undertaking any work?	
13	Supply, installation, commissioning capacity within 04 Months (Nos.)	
14	Details of offer (please mention number of pages and number of Drawings in the hard copy)	
15	Reference of any other information attached by the tenderer (please Mention no. of pages & no. of drawings)	

(Signature of Bidder)
with Seal

6. DECLARATION BY THE BIDDER
REGARDING e-tender NO.UPNEDA/SHM (W-LED)-01 /2018

I/We _____ (hereinafter referred to as the Bidder) being desirous of e-tendering for the work under the above mentioned e-tender and having fully understood the nature of the work and having carefully noted all the terms and conditions, specifications etc. as mentioned in the e-tender document,

DO HEREBY DECLARE THAT

1. The Bidder is fully aware of all the requirements of the e-tender document and agrees with all provisions of the e-tender document.
2. The Bidder is capable of executing and completing the work as required in the e-tender.
3. The Bidder accepts all risks and responsibilities directly or indirectly connected with the performance of the e-tender.
4. The Bidder has no collusion with other Bidders, any employee of UPNEDA or with any other person or firm in the preparation of the bid.
5. The Bidder has not been influenced by any statement or promises of UPNEDA or any of its employees, but only by the e-tender document.
6. The Bidder is financially solvent and sound to execute the work.
7. The Bidder is sufficiently experienced and competent to perform the contract to the satisfaction of UPNEDA.
8. The information and the statements submitted with the e-tender are true.
9. The Bidder is familiar with all general and special laws, acts, ordinances, rules and regulations of the Municipal, District, State and Central Government that may affect the work, its performance or personnel employed therein.
10. The Bidder has not been debarred from similar type of work by UPNEDA and or Government undertaking/ Department.
11. This offer shall remain valid for acceptance for 03 Months from the date of opening of financial bid of e-tender.
12. The Bidder gives the assurance to execute the e-tendered work as per specifications terms and conditions.
13. The Bidder confirms the capability to supply, install and carryout 5 years comprehensive warranty maintenance of **more than Solar LED high mast Systems in 04 (Four) Months andnumbers in a year.**

(Signature of Bidder)
with SEAL

PART-2 : INSTRUCTION TO BIDDERS

SECTION 1: THE TENDER DOCUMENT

1.1 CONTENT OF e-tender DOCUMENT

1.1.1 The e-tender procedure and contract terms are prescribed in the e-tender Documents. In addition to the e-tender Notice the Bidding documents include.

PART-A

Part-I

- 1 e-tender Notice
- 2 Covering Letter
- 3 Checklist of Annexures
- 4 Particulars of e-tender
- 5 General Particulars of Bidder
- 6 Declaration by Bidder

Part – 2 : Instruction to Bidders

- Section -1 Contents of e-tender document
- Section -2 Eligibility condition
- Section-3 Preparation of e-tender
- Section-4 Submission of e-tender
- Section -5 e-tender opening and evaluation
- Section-6 Procedure for Finalisation of Bid

Part – 3 : General Condition of Contract

Part – 4 : Scope of Work & Technical specifications

Part – 5 : Details of Warranty

Part – 6 : Technical Bid

Part – B : Financial Bid

The Bidder is expected to examine all instructions, forms, terms and specifications as mentioned in the e-tender document. Failure to furnish all information required by the e-tender documents or submission of a bid not substantially responsive to the Bid Document in every respect will be at the Bidder's risk and is likely to result in out-right rejection of the e-tender

1.2 LOCAL CONDITIONS

It shall be imperative on each bidder to fully inform him of all local conditions and factors, which may have any effect on the execution of the works covered under these documents and specifications. UPNEDA shall not entertain any request for clarifications from the Bidder, regarding such local conditions

1.3 CLARIFICATION:

A prospective Bidder requiring any clarification of the e-tender Documents may contact UPNEDA in writing or by Fax at the UPNEDA's mailing address indicated in the Invitation for e-tender.

.All are requested to remain updated with the website. No separate reply/ intimation will be given elsewhere. Verbal clarifications and information's given by the UPNEDA or its employees or its representatives shall not be in any way entertained

Enquiries/clarifications may be sought by the Bidder from:

Director,
Uttar Pradesh New & Renewable Energy Development Agency,
VibhutiKhand, Gomti Nagar, Lucknow
Phone: 0522-2720652
Fax: 0522-2720779, 2720829
Email: compneda@rediffmail.com
Website: <http://neda.up.nic.in>

1.4 AMENDMENT OF e-tender DOCUMENTS

At any time prior to the submission of the e-tender the UPNEDA may for any reason, whether at its own initiative or in response to a clarification requested by the Bidder, modify the e-tender documents by amendments. Such document shall be made available on websites: <http://neda.up.nic.in>.; <http://etender.up.nic.in> and www.uplc.in. All are requested to remain updated with the website. No separate reply/ intimation will be given elsewhere.

SECTION 2: ELIGIBILITY CONDITIONS

Eligibility Conditions for Bidders

A. Minimum Eligibility Conditions:

1. The Bidder should be

A Registered Manufacturing Company/Firm/ Corporation in India of **SPV Cells / Modules Or Battery Or PV System Electronics** (Conforming to relevant National / International Standards)

OR

A PV System integrators working in the field of SPV Off-grid LED lighting systems having experience at least 3000 nos. Solar PV LED Lighting Systems should have been installed / commissioned with 05 years comprehensive warranty for MNRE supported scheme / Programs / any Government organization / Agency / SNA,s / PSU, (A copy of the order and certificate indicating its **successful execution to be enclosed**)

2. Following Test Certificates & Reports for components and complete White- LED Solar PV High Mast Lighting System specified in technical bid (Test Certificate should have been issued on or after 01 April 2014)
 - 2.1) Bidder should have **Test Certificate for the Complete White- LED Solar PV High Mast Lighting System from a MNRE / NABL accredited test Lab.**
 - 2.2) **SPV Modules**
 - a) IEC 61215 edition II/ IS 14286 for Crystalline Modules
 - b) IEC 61730 Part 1 & 2
 - c) STC Performance Report –I V curve from a MNRE/NABL accredited test lab.
 - 2.3) **Batteries** –CECRI or MNRE authorized test centre report for relevant IS 16270 / 13369 / IEC 61427 standards (as applicable)
 - 2.4) **Balance of System** from a MNRE/NABL accredited test lab.
 - 2.5) LM-80-08 for LED
 - 2.6) LM-79-08 for 12 watt Luminaire
 - 2.7) IP 65 Luminaries and charge controller housing

3. The bidder should have at least **last three years (i.e. FY;2014-15, 2015-16 and 2016-17)** financial experience in executing contract of Solar Photovoltaic Lighting Systems/Power Plants (Installed and commissioned).
4. **Cumulative Experience*** of the Bidder in executing contracts of **Solar Photovoltaic Systems/Power plants (Installed & Commissioned) should be at least 25% of the tender value.**
5. The Bidder should have valid **GSTIN registration certificate**. A copy of which should be enclosed.
6. Overall average annual turnover shall be at least Rs182.10 lacs (Rupees One Crore Eighty Two Lakh ten thousand only) of the Company/Firm/Organization in three financial years (**i.e. 2014-15, 2015-16 and for 2016-17**, (audited) **certified by registered CA**. (This must be the individual company's turnover and not that of any group of companies). A summarized sheet of turnover certified by registered CA should be compulsorily enclosed.

B. Other Eligibility Conditions

The “Financial bids” of only those bidders shall be opened, who qualify in “Minimum Eligibility Conditions” as above and score at least 60 Points in “technical evaluation”. The “Points” for the “technical evaluation” shall be assigned as under:

S.N.	Criteria	Point
1	<p>The bidder is a Manufacturing Company/Firm/ Corporation Registered in India of SPV Cells / Modules/ Battery / PV System Electronics (conforming to relevant National / International Standards)</p> <p style="text-align: center;">OR</p> <p>A PV System integrators working in the field of SPV Off-grid LED lighting systems/plants, having experience at least 3000 nos. Solar PVLED Lighting Systems should have been installed / commissioned</p>	10
2	<p>Cumulative Experience of the Bidder in executing contracts of LED Solar PV systems/Power Plants (Installation & Commissioning of PV Systems/ Power Plants)</p> <p>>300KWp >500KWp</p>	5 10
3	<p>Bidder’s cumulative experience in last 10 years in supply and installation/commissioning of total number of Solar PV Lighting Systems. Cumulative nos.:</p> <p>>5,000 nos. > 10,000 nos.</p>	5 10
4	<p>Value of a “Single Order” of PV Systems / Power Plants executed by the Bidder :</p> <p>Valued more than Rs. 0.50 Crore Valued more than Rs. 1.00 Crore</p>	5 10
5	<p>Cumulative Experience of the Bidder in executing contracts (Installed & commissioned) of Stand Alone Solar P V Systems /Power Plants:</p> <p>At least 50% of the tendered value At least 75% of the tendered value</p>	5 10

6	Bidder has Test Certificate for Solar Lanterns, Solar Home lighting System, Solar Street Lighting System, Solar Water Pumping System or SPV Modules, battery, Electronics etc. from a MNRE authorized testing centre. (Test Certificate should have been issued on or after April 2013.) Certificate for any two of the above Certificate for more than two of the above	5 10
7	The bidder is a SPV Modules Manufacturing Company, Registered in India, with a min. Capacity of --- 25 MWp per annum --- 50 MWp per annum	5 10
8	The bidder is a SPV cells Manufacturing Company, Registered in India, with a min. Capacity of --- 5 MWp per annum --- 10 MWp per annum	5 10
9	The bidder has ISO 9001 certification	10
10	The bidder has ISO 14001 certification	10

Bidder's experience should be in supply, installation/commissioning (contracts executed, completed and handed over) of LED Solar Photovoltaic Systems/ Power Plants for :MNREsupported Schemes / Programmes.

OR

Any Government Organisation/ Agency/ SNA/PSU.

SECTION 3: PREPARATION OF e-tender

3.1 LANGUAGE OF BID AND MEASURE

- 3.1.1 The e-tender prepared by the Bidder and all correspondence and documents relating to the bid exchanged by the Bidder and UPNEDA shall be written in the English provided that any printed literature furnished by the Bidder may be written in another language so long as accompanied by an English translation of its pertinent passages in which case, for purpose of interpretation units of measurement shall be MKS system.

3.2 DOCUMENTS COMPRISING THE BID

- 3.2.1 The e-tender prepared by the Bidder shall comprise the following components

- (a) Covering letter as provided in e-tender document.
- (b) General particulars of bidder, as provided in e-tender document.
- (c) Declaration by The Bidder, as provided in e-tender document
- (d) Documentary evidence establishing that the bidder is eligible to Tender and is qualified to perform the contract if its tender is accepted. Check list of Annexures as provided in e-tender document
- (e) A blank copy of the in e-tender document signed on each page, as a confirmation by the Bidder to accept all technical specifications / commercial conditions along with all necessary enclosures.
- (f) Authorization letter of the Bidder, for the person representing his Company/Firm/ Corporation, that he is authorized to discuss and with specific mention of this e-tender

3.3 BID PRICE

- 3.3.1 The Bidder shall indicate prices on the appropriate financial bid schedule.

3.3.2 DUTIES AND TAXES

The price quoted should include all taxes what so ever as applicable. A Bidder shall be entirely responsible for all taxes, duties, license fees, etc. All taxes payable as per Government income tax & GST norms will be payable by the Bidder. TDS of income Tax and GST as applicable will be deducted from the payment of the Bidder as per the prevalent laws and rules of Government of India and Government of Uttar Pradesh in this regard.

3.4 BID CURRENCIES

- 3.4.1 Prices shall be quoted in Indian Rupees (INR) only

3.5 Security deposit/ Performance Guarantee:

- 3.5.1 The successful Bidders, who execute the agreement with UPNEDA for the work, shall have to furnish a **security amount equivalent to 10% of total value of the contract** in the form of Bank Guarantee valid for a period **of 18 months** from the date of execution of agreement. The bank guarantee may be issued by a nationalized bank. Bank Guarantee shall be in favour of "Director, UPNEDA". The aforesaid Bank Guarantee shall be furnished prior to the execution of agreement.

The performance bank guarantee shall be released after completion of installation and commissioning of all systems. **The performance security is exempted for Micro and Small industry setup and registered in Uttar Pradesh. The certificate in this regard should be submitted.**

3.6 PERIOD OF VALIDITY OF e-tender

3.6.1 Validity of the offer should be 3 months from the date of opening of the financial bid of the e-tenders. Without this validity the e-tenders will be rejected.

3.6.2 In exceptional circumstances; the UPNEDA will solicit the Bidder's consent to an extension of the period of validity. The request and the response there of, shall be made in writing. The contract performance security provided under clause 3.5.1 above shall also be suitably extended.

3.7 BID SECURITY (Earnest Money)

3.7.1 The bidder shall furnish, as part of its bid, bid security of **Rs. 06.07 lakh** (Six Lakh seven Thousand) in the form of Bank guarantee issued by a nationalized bank,. The bank guarantee shall be valid for a period of **4 months from the opening of technical bid. The earnest money is exempted for Micro and small industry setup and registered in Uttar Pradesh. The certificate in this regard should be submitted as annexure-2 (BG format is attached with tender document.**

3.7.2 Any bid not secured with the tender fee and earnest money will be rejected by the UPNEDA as non-responsive.

3.7.3 No Interest shall be payable on the amount of earnest money and the same will be released, after the e-tenders have been decided, to those Bidders who fail to get the contract.

3.7.4 The e-tender security (earnest money) may be forfeited:

a) If a Tenderer withdraws its e-tender during the period of e-tender validity specified by the Bidder in the e-tender.

b) If the successful Bidder fails to sign the contract within stipulated period.

3.7.5 EMD of successful bidder shall only be released after signing of agreement and submission of 10% Security bank guarantee.

3.8 FORMAT AND SIGNING OF e-tender

3.8.1 The bid must contain the name, residence and places of business of the persons making the e-tender and must be signed and sealed by the Bidder with his usual signature. The name and designations of all persons signing should be typed or printed below the signature.

3.8.2 e-tender by corporation/ company must be signed with the legal name of the corporation/ company/firm by the 'President', Managing director or by the 'Secretary' or other designation or a person duly authorized

3.8.3 The original copy of the e-tender shall be typed or written in indelible ink and shall be signed by the Bidder or a person duly authorized to bid and bidder to the contract. The

letter of authorization shall be submitted along with power-of-attorney. All the pages of the bid shall be initialed by the person or persons signing the e-tender.

3.8.4 The bid shall contain no interlineations, erasures or overwriting except as necessary to correct errors made by the Bidder in which case such corrections shall be initialed by the person or persons signing the e-tender.

(Signature of Bidder)
with SEAL

SECTION: 4: UPLOADING OF e-tender

- 4.1 Uploading of e-tender : The bid shall be uploaded online as per guide lines of U P Electronics Corporation Ltd. (UPLC), 10, Ashok Marg, Lucknow (UP).
- 4.1.1 The tender must be complete in all technical and commercial respect and should contain requisite certificate, drawings, informative literature etc. as required in the specification.
- 4.1.2 First part-1 (**part-A**) should contain technical specification, brochure literature etc. All parts of tender documents except financial bid should be uploaded as per e-procurement mode in due date and time. Scanned copy of Requisite earnest money in the form of Bank Guarantee should be enclosed.
- 4.1.3 The Bidder should submit price bid in Second part. Second part (**part-B**) should contain financial bid only should be uploaded as per e-procurement mode in due date and time. Anything in regard of financial condition, payment terms, rebate etc. mentioned in financial bid may make the tender invalid. Therefore, it is in the interest of the Bidder not to write anything extra in part-II except price.
- 4.1.4 The original copy of uploaded document i.e. First part-1 (Part-A) is to be submitted by Post /courier/by hand to UPNEDA HQ before opening of technical bid.
- 4.2 EXPENSES OF AGREEMENT: A formal agreement for a period of 01 (one) year shall be entered into between UPNEDA and the contractor/ bidder for the proper fulfillment of the contract. The expenses of completing and stamping of the agreement shall be paid by the successful bidder.
- 4.3 DEADLINE FOR SUBMISSION OF BIDS: Bids must be uploaded by the tenderer in the date; time and address specified in the e-tender notice/ tender documents.

(Signature of Bidder)
with SEAL

SECTION 5: e-tender OPENING AND EVALUATION

5.1 OPENING OF e-tender

The procedure of opening of the e-tender shall be as under:

- 5.1.1 First part-I (part-A) uploaded having e-tender specification no. and super scribed as “Technical bid” shall be opened at the time and date mentioned in the e-tender notice by UPNEDA’s representatives in the presence of Bidders, who choose to be present.
- 5.1.2 Second part-II (Part-B) containing Financial Bid shall be opened (after obtaining clarifications and establishing technical suitability of the offer) as per schedule. Second part of only those Bidders shall be opened whose first part (part-B) shall be found commercially clear and technically suitable.

CLARIFICATION OF e-tender

- 5.2.1 To assist in the examination, evaluation and comparison of bids the UPNEDA may at its discretion ask the bidder for a clarification of its bid. The request for clarification and the response shall be in writing.
- 5.3 UPNEDA reserves the right to interpret the Bid submitted by the Bidder in accordance with the provisions of this document and make its own judgment regarding the interpretation of the same. In this regard UPNEDA shall have no liability towards any Bidder and no Bidder shall have any recourse to UPNEDA with respect to the selection process. UPNEDA shall evaluate the Bids using the evaluation process specified in this document or as amended, at its sole discretion. UPNEDA’s decision in this regard shall be final and binding on the Bidders.

Signature of Bidder
with seal

SECTION-6: PROCEDURE FOR FINALIZATION OF BID

6.0 The Procedure for Finalization of BID would be as follows:

6.1 Finalization of BID:

- First the Technical bids shall be opened and evaluated.
- Then the price bid of technically qualified bidders shall be opened.
- The lowest rate (L-1) will be the approved rates.

6.2 Finalization of Empanelment:

- The lowest rate (i.e. L-1) received (and in turn approved by the competent authority) would be the "Approved Rate".
 - Lowest Rate bidder (L1) should be awarded up to 60% of the total bid quantity or as per his capacity given in the e-bid, whichever is lower.
 - "Approved Lowest Rate" in each category would be offered to those lowest bidders (i.e. to L-2, L3 and so on) having price not more than 15% of lowest approved rates (L1) will be empanelled and awarded equally remaining of 33.5% of total bid quantity or as per his capacity given in the bid, whichever is lower.
 - Maximum 20 % of the total quantity purchased in three years has to be distributed equally amongst all successful micro and small industries/firms bidders. Therefore remaining 6.5% of the total quantity shall be awarded equally amongst the micro and small industries qualified firm/firms at the lowest approved rate subject to their working capacity. If no micro and small industries firms /bidder qualify than this quantity will be distributed equally as remaining of 33.5% of total bid quantity as mentioned above will be distributed equally amongst the successful bidders having price not more than 15% of lowest approved rates (L1) given in the bid, or as per his capacity given in the bid, whichever is lower.
 - UPNEDA will assign districts to the short listed contractor/ bidders /suppliers as and when districts are ready to take supplies. UPNEDA will place orders on the contractor/ bidder. UPNEDA may stagger supplies in a district depending on readiness of each village.
 - Training of the users and entrepreneurs/ operators will be arranged by the contractor/ bidder.
 - After work order is placed for work, should be executed within the time schedule stipulated in work order. In case of delay (for any reason other than due to Force Majeure conditions or any extension thereof granted to him by UPNEDA) a penalty equal to 1.0% of the price of the unperformed services for each week (For the purposes of calculation of delay, part of week shall be treated as week) of delay until actual performance up to a maximum deduction of 10% of the delayed services and GST as applicable.
- 6.3 If required UPNEDA reserves the right to negotiate with (lowest) L-1 bidder before finalization of the tender.
- 6.4 UPNEDA reserves the right at the time of awarding the contract to increase or decrease the quantity of goods and locations of supply without any change in price or other terms and conditions.
- 6.5 UPNEDA reserves the right to accept any bid and to reject any or all bids.
- 6.6 NOTIFICATION OF AWARDING THE CONTRACT :
- List of successful Bidder(s) for contract shall be displayed on UPNEDA's website and shall be intimated in writing to the contractor.
- 6.7 CONTRACT
- Before execution of the work, a contract agreement for execution of the work shall be signed by the Bidder with UPNEDA within 15 days of communication from UPNEDA. In case agreement is not executed within the stipulated time, the earnest money will be forfeited.

Signature of Bidder
with seal

PART 3 : GENERAL CONDITIONS OF CONTRACT

- 1.0 In the deed of contract unless the context otherwise requires:-
- 1.1 UPNEDA shall short list the successful bidder (s) on "Rate Contract" basis after verifying their capacity. The Project shall be executed by UPNEDA. The successful bidder (s) shall have to sign the Contract with Uttar Pradesh New and Renewable Energy Development Agency, U.P. (UPNEDA).

DEFINITIONS

- 1.2 "UPNEDA" shall mean The Director of UPNEDA or his representative and shall also include its successors in interest and assignees. The "Contractor" shall mean (successful bidder) i.e. the person whose e-tender has been accepted by UPNEDA and shall include his legal representatives and successors in interest.
- 1.3 The agreement shall be on turn-key basis. The work shall be completed within **04 (four) months** from the date of placement of work order. However "UPNEDA" may in case of urgency ask the bidder to complete the work earlier, with the mutual consent of the contractor/ bidder. In case the contractor/ bidder fails to execute the said work within stipulated time, "UPNEDA" will be at liberty to get the work executed from the open market without calling any tender/ e-tender and without any notice to the contractor/ bidder, at the risk and cost of the contractor/ bidder. Any additional cost incurred by "UPNEDA" shall be recovered from the contractor/ bidder. If the cost of executing the work as aforesaid shall exceed the balance due to the contractor/ bidder, and the contractor/ bidder fails to make good the additional cost, "UPNEDA" may recover it from the contractor/ bidders' pending claims against any work in "UPNEDA" or in any lawful manner.
- 1.4 That on the request of the contractor/ bidder and also in the interest of the organization the "UPNEDA" is authorized to extend the validity of the agreement, subject to that the request of the contractor/ bidder is received before the expiry of the agreement period, or any extended period granted to the contractor/ bidder. Maximum period of extension shall be **2 months** on the same terms and conditions as contained in this agreement.
- 1.5 The agreement shall be deemed to be extended till the date of completion of last work order subject to the completion period as provided in the clause 1.3.
- 1.6 The contractor/ bidder, (i.e. the successful bidder), may operate in the State of Uttar Pradesh through a single authorized dealer for execution of the orders placed on authorized dealer. It will be the sole responsibility of the contractor/ bidder, to execute orders placed as per time schedule, and to ensure quality parameters, specifications and other requirements provided in the e-tender document and as per agreement.
- 1.7 In the interest of the work and the programme, agreement executed between the contractor/ bidder and the "UPNEDA" may be extended to a mutually agreed period, if the need so arises. It shall be sole responsibility of the contractor/ bidder to get verified the quality & quantity of the supplied material at the site of delivery.

2 LIQUIDATED DAMAGES

2.1 If the contractor/ bidder fails to perform the services within the time periods specified in the contract (In case of delay for any reason other than due to Force Majeure conditions or any extension thereof granted to him by UPNEDA) the "UPNEDA" shall without prejudice to its other remedies under the contract deduct from the contract price as liquidated damage, a sum equivalent to 1.0% of the price of the unperformed services for each week (For the purposes as calculation of delay, part of week shall be treated as week) of delay until actual performance up to a maximum deduction of 10% of the delayed services. Once the maximum is reached, the "UPNEDA" may consider termination of the contract. In the case of violation of contract, UPNEDA may confiscate pending payments/ dues of the contractor/ bidder assigning specific reasons and shall also have the power to debar/ blacklist the contractor/ bidder in similar circumstances. UPNEDA may also invoke performance/security bank guarantee of 10% together with any other tax levied by the State and Central Government.

3 The contractor/ bidder shall have to comply with all the rules, regulations, laws and by-laws for the time being in force and the instructions if any, of the organization, in whose premises the work has to be done. "UPNEDA" shall have no liability in this regard.

4 FORCE MAJEURE

4.1 Notwithstanding the provisions of clauses contained in this deed; the contractor/ bidder shall not be liable for forfeiture of its performance security, liquidated damages, termination for default, if he is unable to fulfil his obligation under this deed due to event of force majeure circumstances.

4.2 For purpose of this clause, "Force majeure" means an event beyond the control of the contractor/ bidder and not involving the contractor/ bidder's fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of Government either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and fright embargoes.

4.3 However, If a force majeure situation arises, the contractor/ bidder shall immediately notify the "UPNEDA" in writing. The decision of the competent authority of UPNEDA in above conditions shall be final.

5 The High court of Judicature at Allahabad and Courts subordinate thereto, at Lucknow, shall alone have jurisdictions to the exclusion of all other courts.

6 The contractor/ bidder shall not, without the consent in writing of "UPNEDA", transfer, assign or sublet the work under the contract or any substantial part thereof to any other party.

7 "UPNEDA" shall have at all reasonable time access to the works being carried out by the contractor/ bidder under the contract. All the work shall be carried out by the contractor/bidder to the satisfaction of "UPNEDA".

8 If any question, dispute or difference what so ever shall arises between "UPNEDA" and the contractor/ bidder, in the connection with the agreement except as to matters, the decisions for which have been specifically provided, either party may forthwith give to the other notice in

writing of existence of such question, dispute or difference and the same shall be referred to the sole arbitration of the Principal Secretary/Secretary of the Uttar Pradesh or a person nominated by him not below the rank of Secretary. This reference shall be governed by the Indian Arbitration and Conciliation Act 1996, and the rules made there under. The award in such arbitration shall be final and binding on both the parties. Work under the agreement shall be continuing during the arbitration proceedings unless the “UPNEDA” or the arbitrator directs otherwise

9 “UPNEDA” may at any time by notice in writing to the contractor/ bidder either stops the work all together or reduces or cut it down. If the work is stopped all together, the contractor/bidder will only be paid for work done and expenses distinctly incurred by him as on preparation or the execution of the work up to the date on which such notice is received by him. Such expenses shall be assessed by “UPNEDA”, whose decision shall be final and binding on the contractor/ bidder. If the work is cut down the contractor/ bidder will not be paid any compensation what so ever for the loss or profit which he might have made if he had been allowed to complete all the work included in the contract.

10 INSPECTION AND TESTS

10.1 The following inspection procedures and tests are required by the “UPNEDA” in the presence of “UPNEDA”'s representative if so desired by “UPNEDA”.

10.2 The “UPNEDA” or its representative shall have the right to inspect and / or to test the goods to confirm their conformity to the contract. The special conditions of contract and/ or the Technical specifications shall specify what inspections and test the “UPNEDA” required.

10.3 INSPECTION AT WORKS.

10.3.1 The “UPNEDA”, his duly authorized representative shall have at all reasonable times access to the contractor/ bidders premises or works and shall have the power at all reasonable time to inspect and examine the materials and workmanship of the works during its manufacture.

10.3.2 The contractor/ bidder shall give the “UPNEDA” , 15 day's written notice of any material being ready for testing. It shall be mandatory that such notice should reach “UPNEDA” within 30 days of placement of work order. Such tests shall be on the contractor/ bidder's accounts/ expenses except for the expenses of the inspector. “UPNEDA” reserves the full rights, to waive off inspection of material.

10.3.3 The contractor/ bidder are required to get the entire lot of the ordered material inspected at one time, before the supply of the materials. In case the contractor/ bidder fails to get the entire lot inspected at one time, the total expenses of the further inspection will be borne by the supplier/contractor/ bidder.

10.3.4 UPNEDA will bear the inspector cost at only one manufacturing plant. If a component is produced in more than one location, then the cost of positioning the inspection in the second and subsequent plants would be borne by the successful Bidder at their cost.

10.3.5 The inspection by “UPNEDA” and issue of dispatch instruction there on shall in no way limit the liabilities and responsibilities of the contractor/ bidder in respect of the agreed quality assurance programme forming a part of the contract.

11. WARRANTY

- 11.1 The contractor/ bidder shall warrant as per standards for quality that anything to be furnished shall be new, free from all defects and faults in material, workmanship and manufacture, shall be of the highest grade and consistent with established and generally accepted standards for material of the type ordered, shall be in full conformity with the specifications, drawing or samples, if any and shall if operable, operate properly. Nothing in clause 10 above shall in any way release the contractor/ bidder from any guarantee or other obligations under this contract.
- 11.2 Performance of Equipment: In addition to the warranty as already provided, the contractor/bidder shall guarantee satisfactory performance of the equipment and shall be responsible for the period or up to the date specified in clause 11.3 hereof after the equipment has been accepted by the "UPNEDA" to the extent for any defects that may develop such defects shall be removed at his own cost when called upon to do so by the "UPNEDA"
- 11.3 The Warranty period shall be 25 Years for the PV modules and 5 years for complete system including battery from the date of commissioning and handing over of the system. The contractor/ bidder shall rectify defects developed in the system within Warranty period promptly. In case the defects are not rectified within a week of the receipt of the complaint by the contractor/ bidder "UPNEDA" shall have full liberty to restore the system in working condition. The expenditure so incurred by "UPNEDA" shall be deducted from the contractor/ bidder pending claims, security/performance guarantee deposit or in other law full manner.
- 11.4 Since the maintenance of the system may also be taken up by the contractor/ bidder after expiry of 05 years of warranty period if the end user/"UPNEDA" so desires, the contractor/bidder shall take up annual maintenance of the installed system.
12. Notice statement and other communication send by "UPNEDA" through registered post or telegram or fax or Email to the contractor/ bidder at his specified addresses shall be deemed to have been delivered to the contractor/ bidder.
13. Any work which is not covered under this contract but is essential required for the completion of job (To the satisfaction of UPNEDA) shall be carried out by the contractor as extra item or which payment shall be made separately at the rates decided by UPNEDA.
14. The work shall be carried out by the contractor/ bidder as per design and drawings approved by "UPNEDA", wherever, necessary, the contractor/ bidder shall submit relevant designs and drawings for approval of "UPNEDA", well in advance. Work carried out without "UPNEDA"'s approval shall not be accepted and the "UPNEDA" shall have right to get it removed and to recover the cost so incurred from the contractor/ bidder.
15. The contractor/ bidder shall provide one copy system manual containing instruction manual/ routine maintenance manual and maintenance record of the systems with each unit supplied or installed, this shall be both in English and Hindi language. (The draft of pass book shall be approved by UPNEDA)
The following minimum details must be provided with manual:
- (a) About the complete photovoltaic system including PV modules, battery and electronics
 - (b) Do's and Don'ts
 - (c) Clear instructions on regular maintenance and trouble shooting of the system
 - (d) Name & address of the contact person in case of non-functioning of the system.
 - (e) About LED lighting
16. The contractor/ bidder shall not display the photographs of the work and not take advantage through publicity of the work without written permission of "UPNEDA". **The contractor will also submit a soft and hard copy of photograph of system with UID number (issued by UPNEDA) written on Pole/box with handing over certificate.**

17. PATENT RIGHT AND ROYALTIES.

The Contractor/ bidder shall indemnify the "UPNEDA" against all third party claims of Infringement of patent, royalty's trademark or industrial design rights arising from use to the goods or any part thereof.

18. PACKING FORWARDING

18.1 Contractor/ bidders, wherever applicable, shall after proper painting, pack and crate all the equipment in such manner as to protect them from deterioration and damage during rail and road transportation to the site and storage at the site till time of installation. Contractor/bidder shall be held responsible for all damage due to improper packing.

18.2 The contractor/ bidder shall inform the "UPNEDA" of the date of each shipment from his works, and the expected date of arrival at the site for the information of the "UPNEDA" project offices at least 7 days in advance.

19. DEMURRAGE WHARF AGE, ETC

All demurrage, wharf age and other expenses incurred due to delayed clearance of the material or any other reason shall be to the account of the contractor/ bidder.

20. INSURANCE

The goods supplied under the contract shall be fully insured against loss or damage incidental to manufacture or acquisition, transportation, storage during transportation shall be included in the bid price.

21. TRANSPORTATION

The contractor/ bidder is required under the contract to deliver the goods to the site. Transportation, storage, safety and security of the supplied material, issuance of road permit etc. shall be the sole responsibility of the contractor/bidder.

22. TERMINATION FOR INSOLVENCY

"UPNEDA" may at any time terminate the contract by giving written notice to the contractor/bidder without compensation to the contractor/ bidder, if it becomes bankrupt or otherwise insolvent, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the "UPNEDA".

23. TERMINATION FOR CONVENIENCE

The "UPNEDA", may by written notice sent to the contractor/ bidder, terminate the contract, in whole or in part at any time for its convenience. The notice of termination shall specify that termination is for the purchaser's convenience in the interest of "UPNEDA".

24. APPLICABLE LAW

The contractor/ bidder shall be interpreted in accordance with the laws of the purchaser's country i.e. India. The station of "UPNEDA" Headquarter shall have exclusive jurisdiction in all matters arising under this contract.

25. NOTICE

25.1 Any notice given by one party to the other pursuant to the contract shall be sent in writing or by fax and confirmed in writing to the address specified for that purpose in the special condition of contract.

25.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

26. TAXES DUTIES AND INSURANCE:

The price quoted should include all taxes, duties and Insurance expenditure etc. what so ever, if any. Supplier/ contractor/ bidder shall be entirely responsible for all taxes, duties, license fees, etc. All taxes payable as per Government income tax & GST or any other tax State or Central Government norms will be payable by the contractor/ bidder what so ever. If any new tax/duty is levied during the contract period the same will be borne by the contractor exclusively. CGST&SGST and TDS will be deducted from the payment of the contractor/ bidder as per the prevalent laws and rules of Government of India and Government of the Uttar Pradesh in this regard.

27. OTHERS:

27.1 All the LED's use in luminary should have same characteristics.

27.2 I-V curve of the each module technical details such as Voc, Isc, FF, cell efficiency and Pmaxetc shall be supplied along-with each consignment and copy should be sent to "UPNEDA" HQ for records.

27.3 The Contractor/ bidder in consultation with concerned Project Officer of "UPNEDA" will conduct training programme for users, focusing on main features, operation and maintenance of the systems.

27.4 The Contractor/ bidder shall continue to provide spare parts after the expiry of warranty period at the users cost. If the contractor/ bidder fail to continue to supply spare parts and services to users "UPNEDA" shall take appropriate action against the Contractor/ bidder.

27.5 After successful supply/commissioning of the system and training, the system will be handed over to the person designated by the UPNEDA.

27.6 It shall be the sole responsibility of the contractor/ bidder to get verified the quality & quantity of the supplied material at the site of delivery.

28. Payments and Value of Goods & Services:

It shall be made as per the following terms and conditions:

- i) 70% of the ordered value will be treated as supply of material and shall be paid after the supply of the complete system at site and duly certified by the concerned district officer of UPNEDA as per the technical specification and terms and conditions specified in the contract.

- ii.) 15% of the ordered value will be treated as installation cost and shall be paid after establishing and submitting documentary proof of service center, installation and commissioning of the system alongwith the summary of Joint Commissioning & handing over certificate, indicating bill of material and successful commissioning duly countersigned by the designated officer and end user.
 - iii) The balance 15% payment shall be billed as AMC charges on annual basis kept as security deposit and will be released @3% at the end of each year for 5 years, on satisfactory performance and timely submission of quarterly performance report. In case of advance payment of AMC charges due will of 5 years to be made against of BG of 3 % each valid respectively for 1,2,3,4 & 5 years. The Bank Guarantee shall be invoked in case of failure of meeting the performance of the systems as per agreement.
 - iv) The contractor must issue a cenvatable invoice to the UPNEDA.
29. In case of any ambiguity in interpretation of any of the provisions of the tender, the decision of "UPNEDA" shall be final.

(Signature of Bidder)
with seal

SCOPE OF WORK AND TECHNICAL SPECIFICATIONS:**SCOPE OF WORK:**

The scope of work includes design, supply, installation, commissioning of **Solar LED High Mast Lighting System** including 05 years comprehensive warranty maintenance in various Primary Health Center, A M N Centers, Main Roads/Chaurahas, Animal Markets, Small Markets (*Hatt*), *Panchayat houses*, *Public Drinking water Sources*, *Cross Roads/ Road Junctions*, *Fair Grounds etc.* of various districts of Uttar Pradesh as per the following specifications.

GENERAL TECHNICAL SPECIFICATION:

A Solar PV White- LED High Mast Light consist of white LED luminary of maximum 4*18 Watt (LED + Driver) as per configuration along with solar PV modules and battery of given capacity, necessary control electronics-inter connecting wires / cables, module mounting structures etc. to operate the load for dusk to dawn. The broad performance specifications of a White Light Emitting Diode (W-LED) light source based solar street lighting system are given below

BROAD PERFORMANCE PARAMETERS

PV Module	Only indigenous modules shall be used in the Project. SPV module aggregate capacity 440 Wp (110 Wp X 4 Nos.) at under STC. Module Voc minimum of 21V.
Battery	Low Maintenance flooded electrolyte Tubular positive plate Lead Acid batteries of capacity 12 Volt, 400 Ah @ C/10 rating, (12V, 100 Ah x 4 nos.) Min DOD 75%
Light Source	White Light Emitting Diode (W-LED) 4x18 Watt (LED +Driver) Using LEDs which emits ultraviolet light will not be Permitted
Light Out put	White colour (colour temperature 5500-6500 K). Lumen efficacy of LED- min 120 lumens/Watt @350 mA. The illumination should be uniform without dark bands or abrupt variations, and soothing to the eye. Higher light output will be preferred.
Average duty cycle	Dusk to dawn

MINIMUM TECHNICAL REQUIREMENTS / STANDARDS**1. DUTY CYCLE**

2. The Solar PV White- LED High Mast Light system should be designed to operate for dusk to dawn.

3. SPV MODULES:

- i. **Only indigenous modules of reputed brand IEC Tested shall only be used in the project.**

Crystalline high power/efficiency cells shall be used in the Solar Photovoltaic module. The power output of the each module shall not be less than 110 Wp at load under standard test conditions (STC).

- ii. The open circuit voltage of the PV modules under STC should be at least 21.0 Volts.
- iii. Crystalline high power/efficiency cell shall be used in the Solar Photovoltaic module. The cell efficiency should not be less than 16%.
- iv. PV module must be warranted for output wattage, which should not be less than 90% at the end of 20 years and 80% at the end of 25 years.
- v. The terminal box on the module shall be IP 65 and designed for long life out door operation in harsh environment should have a provision for opening for replacing the cable, if required.
- vi. The offered module shall be in accordance with the requirements of MNRE.
- vii. Latest edition of IEC 61215 edition II / IS 14286 for Crystalline and shall be certified by MNRE authorized test center. The bidder shall submit appropriate certificates.
- viii. PV modules must quality to IEC 61730 Part 1- requirements for construction & Part 2 – requirements for testing, for safety qualification.
- ix. Protective devices against surges at the PV module shall be provided. Low voltage drop bypass diodes shall be provided and if required, blocking diode(s) may also be provided.
- x. IDENTIFICATION AND TRACEABILITY

Each PV module must use a RF identification tag (RFID), which must contain the following information:

- (i) Name of the manufacturer of PV Module
- (ii) Name of the Manufacturer of Solar cells
- (iii) Month and year of the manufacture (separately for solar cells and module)
- (iv) Country of origin (separately for solar cells and module)
- (v) I-V curve for the module
- (vi) Peak Wattage, I_m , V_m and FF for the module
- (vii) Unique Serial No and Model No of the module
- (viii) Date and year of obtaining IEC PV module qualification certificate
- (ix) Name of the test lab issuing IEC certificate
- (x) Other relevant information on traceability of solar cells and module as per ISO 9000 series.

4. BATTERY

1. Battery shall be flooded electrolyte Tubular Lead Acid, Low Maintenance type with low antimony lead alloy plates and ceramic vent plugs. The batteries should conform to IS 1651 / IS 13369 A copy of the relevant test certificate for the battery should be furnished. The battery of reputed Indian tested by Central Electro-chemical research laboratory(CECRI) Tamilnadu or authorized MNRE test center for relevant IS 1651/IS 13369/IEC 61427 standard shall only be used.

- i. Capacity of the each battery shall not be less than 12V, 100Ah at C10 rating.
- ii. DOD shall be 75% i.e., at least 75 % of the rated capacity of the battery should be between fully charged & load cut off conditions.
- iii. Battery shall have a design life expectancy of >5 years at 75% DOD at 27°C.
- iv. Battery terminal shall be provided with covers.
- v. Suitable carrying handle shall be provided.

- vi. Bidder shall submit life cycle curve of batteries at 75%, 50% and 25% depth of discharge at ambient temperature up to 45 degree C.
- vii. The batteries shall be designed for operating in ambient temperature of site upto 55 degree C.
- viii. The self-discharge of batteries shall be as per BIS standard.
- ix. Batteries shall be provided with micro porous vent plugs & acid level indicator.

2. Light Source:

- i. The light source will be of white LED type. The color temperature of white LEDs used in the system should be in the range of 5500 degree K – 6500 degree K. Use of LEDs which emits ultraviolet light will not be permitted.
- ii. The illumination should be uniform without dark bands or abrupt variations, and soothing to the eye. Higher light output will be preferred. The light output from the white LED light source should be almost constant.
- iii. The lamps should be housed in an assembly suitable for outdoor use and shall comply with IP65. The LED housing should be made of pressure die cast aluminum having sufficient area for heat dissipation and heat resistant toughened clear glass/ high quality poly carbonate fitted with pressurized die cast aluminum frame with SS screws. The temperature of heat sink should not increase more than 30 degree C above ambient temperature even after 48 hrs. of continuous operation. This condition should be complied for the dusk to dawn operation of the lamps while battery operating at any voltage between the loads disconnect and charge regulation set point.
- iv. High power LED of minimum 1 watt each capacity capable to withstand maximum 1 amp driving current having lens angle greater than 120 degree shall be used. The LED of reputed make Having LM 80 test report shall only be used.
- v. The LED efficacy should be more than 120 lumen / watt @ 350 mA, the total luminaire efficacy should not be less than 100 lumens per watt. (Including all losses) i.e the lumens output of each luminaire should not be less than 1800 lumens.
- vi. All LED in circuit must be connected in series only. It must incorporate fail short mechanism in all LEDs. The LEDs used in the luminaire should have life time more than 50,000 hrs.
- vii. The lumen depreciation of LED shall not be more than 30% even after 50,000 burning hours.
- viii. Power consumption of the each LED Luminaire / Lighting unit shall not be more than 18 W (including LED Driver power loss).
- ix. The lux level over a 16 meter of radius should not be less than 5% at the point mentioned below in the lux level distribution chart.

The chart is plotted for 6.5 meter high, with lamp bracket arm of 1 meter with 5 degree. Grid spacing 1x1 meter. Maintenance factor 0.8.

The average Lux should be min 6 lux and average/min = min 0.25

- x. Other Parameters :
 - ♦ LED DC current regulation – better than 3 %
 - ♦ Input – 12 V DC
 - ♦ Driver Type- DC-DC (as per IEC 62384)
 - ♦ CRI - 70 % Typical
 - ♦ Lighting quality- Free from glare and flickering and UV
 - ♦ Ambient temp– upto 50 deg
 - ♦ DC to DC convertor efficiency > =90 %
- xi. The connecting wires used inside the luminaries, shall be low smoke halogen free, fire retardant e-beam cable and fuse protection shall be provided at input side.
- xiii. Auto resettable reverse polarity protection shall be provided
- xii. LED lighting unit shall comply to LM -79-08 Standards and copy of test certificate should be submitted.
- xiii. The make, model number, country of origin and technical characteristics of white LEDs used in the lighting system must be furnished.
- xiv. The luminaries must have light distribution polar curve. The bidder should submit the polar curve of luminaries in LM 79 report.

3. ELECTRONICS

MPPT/ PWM charge controller to maximize energy drawn from the Solar PV array. The MPPT/ PWM charger shall be microcontroller based. The MPPT/ PWM should have four stage charging facilities i.e Bulk, Absorption, Float and Equalization. The auto equalization facilities for battery at every (30+_2 days) and provision to verify it during testing should be incorporated. The PV charging efficiency shall not be less than 90% and shall be suitably designed to meet array capacity. The charge controller shall confirm to IEC 62093, IEC 60068 as per specifications.

- i. Protection against polarity reversal of PV array and battery, Over Current, Short Circuit, Deep Discharge, Input Surge Voltage; Blocking Diode protection against battery night time leakage through PV Module
- ii. Electronics should operate 21 volt and 10 volt and its Euro efficiency should be at least 90 %.
- iii. The system should have protection against battery overcharge and deepdischarge conditions. The numerical values of the cut off limits of lower voltage should not be less than 11.1 Volt and over voltage cutoff should be 16.5 V
- iv. Full protection against open circuit, accidental short circuit and reverse polarity should be provided
- v. Charge controller shall have automatic dusk-dawn circuit based on spv module as sensor

- for switching on/off the high mast light without manual intervention. The sensor must not get triggered by impulse lighting like lightning flashes and firecrackers.
- vi. The self-consumption of the charge controller shall not be more than 20 mA at rated voltage and rated current.
 - vii. Adequate protection shall also be incorporated under no-load conditions (i.e. when the system is ON & the load (LED Lamp is removed)
 - viii. The system should be provided with 2 LED indicators: a green light to indicate charging in progress and a red LED to indicate deep discharge condition of the battery. The green LED should glow only when the battery is actually being charged.
 - ix. All capacitors shall be rated for max. temp of 105° C.
 - x. Resistances shall preferably be made of metal film of adequate rating.
 - xvii. Device shall have adequate thermal margin should be at least 25 degree below the allowable junction temperature while operating at an ambient temperature of 55 degree C and full load.
 - xi. Fibre glass epoxy of grade FR 4 or superior shall be used for PCB boards.

Preferably the electronics (both charge controller and driver) should be housed in a separate box and installed on pole suitably in order to perform the repairing of electronics quickly without removing the whole luminaire.

Technical Requirement/Standards

Item / System	Applicable BIS /Equivalent IEC Standard Or MNRE Specifications	
	Standard Description	Standard Number
Solar PV Systems Charge Controller/MPPT Units and Protections	Crystalline Silicon Terrestrial PV Modules	IEC 61215 and 61730 part-1 and part-2, IS14286 Test Certificates / Reports from IECQ / NABL accredited laboratory for relevant IEC / equivalent BIS standard. IECIEC 62093 Equivalent BIS Std.
Storage Batteries	General Requirements & Methods of Testing Tubular Lead Acid /Capacity Test Charge/Discharge Efficiency Self-Discharge	IS 1651/ IS 13369
Cables	General Test and Measuring Method PVC insulated cables for working voltage up to and including 1100 V UV resistant for outdoor Installation	IEC 60189 IS 694/ IS 1554 IS/IEC 69947

Junction Boxes /Enclosures for Inverters/Charge Controllers/Luminaries	General Requirements	IEC 62208 IP 65
LED	LED performance Luminary performance	LM -80-08 LM 79-08

2.4 MECHANICAL HARDWARE

- (i) A galvanized metallic frame structure to be fixed on the pole to hold the SPV module(s). The frame structure should be fixed at 30 degree from horizontal facing true south.
- (ii) The pole should be hot deep Galvanized Iron Octagonal pole in single length for 7.0 mtr. Height as per specification as under:
 - (a) The Octagonal poles shall be Hot deep galvanized to min 120 microns. The material of pole shall be as per specification of BS EN 100025 , ISO 1461 .
 - (b) The size of the pole shall be min 75 mm at Top side, 150 mm at bottom side with thickness of 4 mm minimum.
 - (d) The base plate of pole shall be of size 260 X 260 X 18 mm duly welded to pole.
 - (f) Pole should have the arrangement at top for mounting of Solar panel of design capacity with mounting structure at an angle of latitude $\pm 2^0$ degree.
 - (g) The four LED luminaire shall be mounted on this pole at height of 6.5 meter from pole bottom.
 - (h) The battery either two or four shall also be mounted on this pole at suitable height hence provision should be made accordingly.
 - (i) The pole shall be mounted on suitable RCC foundation at least 1.25 meter deep and 0.5 meter above ground with 4/6/8 bolt of min 20 mm size
 - (j) the Nut -Bolts in battery box and panel structures should be proper riveted to ensure the theft.
 - (k) The design and foundation details of the pole shall be got approved from UPNEDA before execution of work.
- vi) BATTERY BOX :

Two vented metallic box of 20 SWG thick made of pre coated galvanized ms sheet with 60 microns thickness for housing the storage battery outdoors should be provided with proper lock and key. The boxes should be inscribed with UPNEDA written on at least two faces. The size of box should be as per battery size (including vent plug/level indicator) providing minimum clearance of 25 mm on all sides. The battery box is to be properly rest/mounted on pole at 03 meters of height from ground level. Louvers for proper ventilation should be provided on one side and back of the battery box. No vent shall be providing on top of battery box. Box should be provided with proper locking arrangement. The edges of box should be turned properly to give smooth edge and good strength. Two wooden battens should be fixed inside the battery box to avoid the electrical contact between battery and box. Components and hardware shall be vandal and theft resistant. All parts shall be corrosion- resistant

vii) ELECTRIC CABLE

The electric cable used shall be twin core PVC insulated water and UV resistance copper cable of minimum size 1.5mm. Cable shall meet IS 1554 / 694 Part 1:1988 & shall be of 650 V/ 1.1 kV

2.5 OTHER FEATURES

A toll free number (i.e. 1800 180 0005) of IVRS of UPNEDA and 14 digit UID number of minimum computer font size 72 or 13 mm (issued/provided by UPNEDA) is to be embossed/ punch on pole between 1-1.5 meter above from ground level and in front of battery box by contractor/ bidder, which in case of non-working/ operational problems etc of system will be dialed by the beneficiary etc to lodge a complaint in respect of system problems. The IVRS will divert the complaint to Contractor/ bidder through E mail, SMS etc. The contractor/ bidder will have to rectify the same to make/ restore the system to working position within 72 hours in the warrantee period of 5 years, failing which the system may be get rectified on contractor/ bidder cost and the cost will be recovered by contractor/ bidders pending claims what so ever and appropriate action as per noncomplianceetc of agreement will be considered/taken.

2.6 INSTALLATION OF SYSTEM:

The system should be properly installed at site. The SPV module mounting structure along with telescopic octagonal pole should be properly grouted depending upon the location and requirement of the site. The grouting should be such that it should withstand the maximum wind speed /storm of 180 kmph. The pole should be rest on a suitable foundation. (RCC Foundation size 600 mm x600 mm x 1250 mm deep and 500 mm above the ground level. must have 4/6/8 nos. foundation bolts of 1200 mm & 20mm dia.) Adequate space should be provided behind the PV module/array for allowing un-obstructed air flow for passive cooling. Cables of appropriate size should be used to keep electrical losses to a bare minimum. Care should be taken to ensure that the battery is placed with appropriate leveling on a structurally sound surface. The control electronics should not be installed directly above the battery. All

wiring should be in a proper conduit or capping case. Wire should not be hanging loose. Any minor items which are not specifically included in the scope of supply but required for proper installation and efficient operation of the SPV systems is to be provided by the manufacturer as per standards.

2.7 WARRANTY

The mechanical structures, electrical works including power conditioners/inverters/charge controllers/ maximum power point tracker units/distribution boards/digital meters/ switchgear/ storage batteries, etc. and overall workmanship of the SPV power plants/ systems must be warranted against any manufacturing/ design/ installation defects for a minimum period of 5 years.

Traceability of the product to be supplied

In order to prevent the misuse of the product such as unauthorized sale or diversion to the open market, the following incorporation shall be made in the product.

- a) Engraving (or) Screen printing of UPNEDA at a suitable place on the main components viz., SPV Panel, Battery, LED Lighting Units to be used in the installation of the solar high mast lighting systems.
- b) The unique system ID number as provided by UPNEDA shall be embossed or punch or permanently riveted on each pole and battery box of the system. The UID number painting or marking will not be allowed.

PART -5

WARRANTY AND MAINTENANCE

- The PV modules will be warranted for a minimum period of 25 years from the date of supply. (Output wattage should not be less than 90% at the end of 20 years and 80% at the end of 25 years).
- The mechanical structures, electrical components including battery and overall workmanship of the Solar PV White- LED High Mast Light Systems must be warranted for a minimum of 5 years from the date of commissioning and handing over of the system..
- The Comprehensive Maintenance (within warranty period) shall be executed by the firm themselves or through the authorized dealer/ service center of the firm in the concerned district.
- It is mandatory for the contractor/ bidder to open an authorized service center in the concerned district before the supply/installation of the system.
- Necessary maintenance spares for five years trouble free operation shall also be supplied with the system.
- The contractor/ bidder shall be responsible to replace free of cost (including transportation and insurance expenses) to the purchaser whole or any part of supply which under normal and proper use become dysfunctional within one month of issue of any such complaint by the purchaser.
- The service personnel of the Successful Bidder will make routine quarterly maintenance visits. The maintenance shall include thorough testing & replacement of any damaged parts Apart from this any complaint registered/ service calls received / faults notified in the report generated by the IVRS should be attended to and the system should be repaired/ restored/ replaced within 4 days.
- A separate Service & Maintenance passbook shall be maintained with each system as per the format provided by UPNEDA. The deputed personnel shall be in a position to check and test all the components regularly, so that preventive actions, if any, could be taken well in advance to save any equipment from damage. Any abnormal behavior of any component shall be brought to the notice of UPNEDA for appropriate action.
- Normal and preventive maintenance of the Solar PV White- LED High Mast Light systems such as cleaning of module surface, topping up of batteries, tightening of all electrical connections, , cleaning & greasing of battery terminals, also the duties of the deputed personnel during quarterly maintenance visits.
- During operation and maintenance period of the Solar PV White- LED High Mast Light systems, if there is any loss or damage of any component due to miss management/miss handling or due to any other reasons pertaining to the deputed personnel, what-so-ever, the supplier shall be responsible for immediate replacement/rectification. The damaged component may be repaired or replaced by new component

Technical BID

	Description	To be furnished by the Tenderer
A.	Solar PV Module	
1.	Type of Module	
2.	Make	
3.	Availability of RFID tag	
4.	Max power at STCPmax (W)	
5.	Max power voltage Vmp(V)	
6.	Max power current Imp(A)	
7.	Open circuit voltage Voc (V)	
8.	Short circuit current Isc (A)	
9.	Load current at MPPT voltage	
10.	Conversion Efficiency	
11.	No of cells per module	
12.	bypass diodes	
13.	Solar module frame material	
14.	Module Dimension	
15.	Module Weight	
16.	Fill factor	
B.	Battery	
1.	Make	
2.	Type	
3.	Capacity of Battery	
4.	Self Discharge	
5.	DOD	
6.	Design Cycle Life of battery	
7.	Charge efficiency	

8.	Size & Weight of Battery	
C.	Electronics	
1.	Make	
2.	Charger Type	
3.	PV Charging Efficiency	
4.	Idle current consumption	
5.	Operating voltage	
6.	Temperature compensated set points	
7.	Details of Indicators provided	
8.	Details of Protections provided	
	i. Battery Over charge set value	
	ii. Deep discharge set value	
	iii. Short Circuit	
	iv. Open Circuit	
	v. Reverse polarity	
	vi. Blocking Diode	
	vii. Others	
D.	LED Lighting Unit	
1.	Make and material of housing	
2.	Power consumption of LED lighting unit	
3.	No of LEDs	
4.	Wattage of each LED	
5.	Driver Consumption	
6.	Make and origin of LED	
7.	Lumens output	
8.	LED DC Current Regulation	
9.	Input Voltage	
10.	Beam Angle	
11.	CRI	
12.	LED Efficacy	

13.	Luminaire Efficiency	
14.	Automatic ON/OFF Timings	
15.	Other features (IP 65)	
E.	Module Mounting frame	
1.	Material used	
2.	Whether Protection against corrosion	
3.	Angle of inclination to horizontal	
F.	Pole	
1.	Material used	
2.	Height (Mtr.)	
3.	Thickness	
4.	Weight of pole	
5.	Diameter	
6.	Whether pole is Galvanised	
G.	Battery housing	
1.	Material	
2.	Dimension	
3.	Whether Protection against corrosion provided	
4.	Air vent and locking arrangement	
H.	Connecting cables / wire	
1.	Material and size	
2.	Details of Switches (Nos.)	
	Any other Details	

(Signature of Bidder)
with seal

PART II (Financial Bid)

e-tender NO. UPNEDA/SHM (W-LED)-01 /2018
FINANCIAL BID

Name of the Firm: -----

Supply, installation, commissioning and 5 years Warranty with comprehensive maintenance of Solar PV High Mast Lighting System (W-LED) based (comprising of 440 (4x110 watt) Wp module, 12V, 400Ah (4x100Ah) battery and 4x18 watt luminaries with pole and hardware) at identified sites of Uttar Pradesh as per Technical specifications, Terms and Conditions of the e-tender document.

S.N.	Item	Unit Rate (in Rs.)
1.	Supply of complete Solar PV High Mast Lighting System (W-LED) based at identified sites of Uttar Pradesh, FOR site, as per technical specifications, terms and conditions mentioned in the tender inclusive of all taxes & duties, storage, transportation up to site, insurance etc. what so ever.	
2.	installation and commissioning of complete Solar PV High Mast Lighting System (W-LED) based at identified sites of Uttar Pradesh, FOR site, as per technical specifications, terms and conditions mentioned in the tender inclusive of all taxes & duties.	
3.	5 years Warranty with comprehensive maintenance of complete Solar PV High Mast Lighting System (W-LED) based at identified sites of Uttar Pradesh inclusive of all taxes & duties as per agreement.	
Total Amount (1+2+3) (In Figures and Words)		

NOTES:

1. Certified that rates quoted above are as per the requirement, specification terms & condition mentioned in the e-tender document.
2. The rates are inclusive of all taxes & duties, storage, transportation up to site, insurance etc., and any other job required to properly execute the complete work.

(Signature of Bidder)
With seal

To be uploaded in Part II.

Other document / condition, terms if enclosed will liable to be rejection of bid.

Model Bank Guarantee Format for Furnishing EMD

Whereas(hereinafter called the “tenderer”) has submitted their offer dated..... for the supply of.....(hereinafter called the “tender”) against the purchaser’s tender enquiry No.....---KNOW ALL MEN by these presents that WE..... of..... having our registered office at..... are bound unto..... (hereinafter called the “Purchaser) in the sum of..... for which payment will and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents. Sealed with the Common Seal of the said Bank this..... day of20..... THE CONDITIONS OF THIS OBLIGATION ARE:

- (1) If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- (2) If the tenderer having been notified of the acceptance of his tender by the Purchaser during the period of its validity
- (3) Fails to furnish the Performance Security for the due performance of the contract.
- (4) Fails or refuses to accept/execute the contract.

WE undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including 45 (forty five) days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

.....
 (Signature of the authorised officer of the Bank)

.....
 Name and designation of the officer

.....
 Seal, name and address of the Bank / Branch